

【英論文】

- 1: Tamai H, Mori Y, Shingaki N, Kawashima A, Tsukuda H, Katsuhiko H, Moribata K, Kawaguchi M, Ueda K, Deguchi H, Inoue I, Maekita T, Iguchi M, Kato J, Ichinose M. Low-dose pegylated interferon- $\alpha$ -2a plus ribavirin therapy for elderly and/or cirrhotic patients with hepatitis C virus genotype-1b and high viral load. *Antivir Ther.* 2013 Oct 25.
- 2: Maekita T, Kato J, Nakatani Y, Enomoto S, Takano E, Tsuji M, Nakaya T, Moribata K, Muraki Y, Shingaki N, Niwa T, Deguchi H, Ueda K, Inoue I, Iguchi M, Tamai H, Ichinose M. Usefulness of continuous suction mouthpiece during esophagogastroduodenoscopy: A single-center, prospective, randomized study. *World J Gastrointest Endosc.* 2013 Oct 16;5(10):508-13.
- 3: Yamaue H, Satoi S, Kanbe T, Miyazawa M, Tani M, Kawai M, Hirono S, Okada K, Yanagimoto H, Kwon AH, Mukouyama T, Tsunoda H, Chijiwa K, Ohuchida J, Kato J, Ueda K, Yamaguchi T, Egawa S, Hayashi K, Shirasaka T. Phase II clinical study of alternate-day oral therapy with S-1 as first-line chemotherapy for locally advanced and metastatic pancreatic cancer. *Cancer Chemother Pharmacol.* 2013 Oct 22.
- 4: Yamashita Y, Ueda K, Itonaga M, Yoshida T, Maeda H, Maekita T, Iguchi M, Tamai H, Ichinose M, Kato J. Tumor vessel depiction with contrast-enhanced endoscopic ultrasonography predicts efficacy of chemotherapy in pancreatic cancer. *Pancreas.* 2013 Aug;42(6):990-5.
- 5: Ueda K, Yamashita Y, Itonaga M. Real-time contrast-enhanced endoscopic ultrasonography-guided fine-needle aspiration (with video). *Dig Endosc.* 2013 Nov;25(6):631.
- 6: Ueyama T, Yamamoto Y, Ueda K, Yajima A, Maeda Y, Yamashita Y, Ito T, Tsuruo Y, Ichinose M. Is gastrectomy-induced high turnover of bone with hyperostoidosis and increase of mineralization a typical osteomalacia? *PLoS One.* 2013 Jun 11;8(6):e65685.
- 7: Wada Y, Tamai H, Uno A, Kawashima A, Shingaki N, Mori Y, Moribata K, Miyata K, Higashi K, Deguchi H, Ueda K, Inoue I, Maekita T, Iguchi M, Kato J, Ichinose M.

Prediction of efficacy to pegylated interferon- $\alpha$ -2b plus ribavirin in patients with genotype 2 hepatitis C virus using viral response within 2 weeks. Hepatol Res. 2013 Feb 25.

8: Maekita T, Kato J, Nakatani Y, Enomoto S, Kayama T, Tsuji M, Nakaya T, Muraki Y, Deguchi H, Ueda K, Inoue I, Iguchi M, Tamai H, Ichinose M. Usefulness of a continuous suction mouthpiece during percutaneous endoscopic gastrostomy: a single-center, prospective, randomized study. Dig Endosc. 2013 Sep;25(5):496-501.

9: Yoshida T, Kato J, Maekita T, Yamashita S, Enomoto S, Ando T, Niwa T, Deguchi H, Ueda K, Inoue I, Iguchi M, Tamai H, Ushijima T, Ichinose M. Altered mucosal DNA methylation in parallel with highly active Helicobacter pylori-related gastritis. Gastric Cancer. 2013 Oct;16(4):488-97.

10: Yamashita Y, Ueda K, Itonaga M, Yoshida T, Maeda H, Maekita T, Iguchi M, Tamai H, Ichinose M, Kato J. Usefulness of contrast-enhanced endoscopic sonography for discriminating mural nodules from mucous clots in intraductal papillary mucinous neoplasms: a single-center prospective study. J Ultrasound Med. 2013 Jan;32(1):61-8.

11: Tamai H, Moribata K, Mori Y, Shingaki N, Deguchi H, Ueda K, Inoue I, Maekita T, Iguchi M, Kato J, Ichinose M. Low-dose pegylated interferon-alpha-2a monotherapy in elderly and/or cirrhotic patients infected with hepatitis C virus genotype-2 or genotype-1 low level infection. Hepatol Res. 2013 Jul;43(7):702-8.

12: Itonaga M, Ueda K, Ichinose M. Phlegmonous gastritis caused by endoscopic ultrasound-guided fine-needle aspiration (EUS-FNA). Dig Endosc. 2012 Nov;24(6):488.

13: Enomoto S, Watanabe M, Yoshida T, Mukoubayashi C, Moribata K, Muraki Y, Shingaki N, Deguchi H, Ueda K, Inoue I, Maekita T, Iguchi M, Tamai H, Kato J, Fujishiro M, Oka M, Mohara O, Ichinose M. Relationship between vomiting reflex during esophagogastroduodenoscopy and dyspepsia symptoms. Dig Endosc. 2012 Sep;24(5):325-30.

14: Fukatsu K, Ueda K, Maeda H, Yamashita Y, Itonaga M, Mori Y, Moribata K,

Shingaki N, Deguchi H, Enomoto S, Inoue I, Maekita T, Iguchi M, Tamai H, Kato J, Ichinose M. A case of chronic pancreatitis in which endoscopic ultrasonography was effective in the diagnosis of a pseudoaneurysm. *World J Gastrointest Endosc.* 2012 Jul 16;4(7):335-8.

15: Muraki Y, Enomoto S, Iguchi M, Niwa T, Maekita T, Yoshida T, Moribata K, Shingaki N, Deguchi H, **Ueda K**, Inoue I, Tamai H, Kato J, Fujishiro M, Ichinose M. Diazepam during endoscopic submucosal dissection of gastric epithelial neoplasias. *World J Gastrointest Endosc.* 2012 Mar 16;4(3):80-6.

16: Watanabe M, Kato J, Inoue I, Yoshimura N, Yoshida T, Mukoubayashi C, Deguchi H, Enomoto S, **Ueda K**, Maekita T, Iguchi M, Tamai H, Utsunomiya H, Yamamichi N, Fujishiro M, Iwane M, Tekeshita T, Mohara O, Ushijima T, Ichinose M. Development of gastric cancer in nonatrophic stomach with highly active inflammation identified by serum levels of pepsinogen and Helicobacter pylori antibody together with endoscopic rugal hyperplastic gastritis. *Int J Cancer.* 2012 Dec 1;131(11):2632-42.

17: Moribata K, Tamai H, Shingaki N, Mori Y, Shiraki T, Enomoto S, Deguchi H, **Ueda K**, Inoue I, Maekita T, Iguchi M, Ichinose M. Ultrasonogram of hepatocellular carcinoma is associated with outcome after radiofrequency ablation. *World J Hepatol.* 2012 Dec 27;4(12):374-81.

18: Sanda M, Tamai H, Deguchi H, Mori Y, Moribata K, Shingaki N, **Ueda K**, Inoue I, Maekita T, Iguchi M, Yanaoka K, Oka M, Ichinose M. Acalculous cholecystitis in a patient with hepatocellular carcinoma on sorafenib. *ISRN Gastroenterol.* 2011;2011:201529.

19: Nakata H, Enomoto S, Maekita T, Inoue I, **Ueda K**, Deguchi H, Shingaki N, Moribata K, Maeda Y, Mori Y, Iguchi M, Tamai H, Yamamichi N, Fujishiro M, Kato J, Ichinose M. Transnasal and standard transoral endoscopies in the screening of gastric mucosal neoplasias. *World J Gastrointest Endosc.* 2011 Aug 16;3(8):162-70.

20: Tamai H, Shingaki N, Shiraki T, Tukuda H, Mori Y, Moribata K, Enomoto S, Deguchi H, **Ueda K**, Inoue I, Maekita T, Iguchi M, Yanaoka K, Oka M, Ichinose M. Prediction of sustained response to low-dose pegylated interferon alpha-2b plus ribavirin in patients with genotype 1b and high hepatitis C virus level using

viral reduction within 2 weeks after therapy initiation. *Hepatol Res.* 2011 Dec;41(12):1137-44.

21: Shirai K, Inoue I, Kato J, Maeda H, Moribata K, Shingaki N, Ueda K, Deguchi H, Maekita T, Iguchi M, Yanaoka K, Tamai H, Oka M, Kawai M, Yamaue H, Yasuoka H, Nakamura Y, Iso-O N, Ichinose M. A case of a giant glucagonoma with parathyroid hormone-related peptide secretion showing an inconsistent postsurgical endocrine status. *Intern Med.* 2011;50(16):1689-94.

22: Moribata K, Kato J, Iimura S, Yoshida S, Shingaki N, Ueda K, Deguchi H, Inoue I, Maekita T, Iguchi M, Tamai H, Ichinose M. Mucosal healing of esophageal involvement of Crohn's disease with granulocyte/monocyte adsorption. *J Clin Apher.* 2011;26(4):225-7.

23: Enomoto S, Nakazawa K, Ueda K, Mori Y, Maeda Y, Shingaki N, Maekita T, Ota U, Oka M, Ichinose M. Steakhouse syndrome causing large esophageal ulcer and stenosis. *World J Gastrointest Endosc.* 2011 May 16;3(5):101-4.

24: Shirai K, Tamai H, Shingaki N, Mori Y, Moribata K, Enomoto S, Deguchi H, Ueda K, Maekita T, Inoue I, Iguchi M, Yanaoka K, Oka M, Ichinose M. Clinical features and risk factors of extrahepatic seeding after percutaneous radiofrequency ablation for hepatocellular carcinoma. *Hepatol Res.* 2011 Aug;41(8):738-45.

25: Enomoto S, Oka M, Ohata H, Mukoubayashi C, Watanabe M, Moribata K, Muraki Y, Shingaki N, Deguchi H, Ueda K, Inoue I, Maekita T, Iguchi M, Yanaoka K, Tamai H, Fujishiro M, Mohara O, Ichinose M. Assessment of gastroesophageal reflux disease by serodiagnosis of Helicobacter pylori-related chronic gastritis stage. *World J Gastrointest Endosc.* 2011 Apr 16;3(4):71-7.

26: Shiraki T, Takayama E, Magari H, Nakata T, Maekita T, Enomoto S, Mori Y, Shingaki N, Moribata K, Deguchi H, Ueda K, Inoue I, Mizuno-Kamiya M, Yashiro K, Iguchi M, Tamai H, Kameyama Y, Kato J, Kondoh N, Ichinose M. Altered cytokine levels and increased CD4+CD57+ T cells in the peripheral blood of hepatitis C virus-related hepatocellular carcinoma patients. *Oncol Rep.* 2011 Jul;26(1):201-8.

27: Enomoto S, Tamai H, Shingaki N, Mori Y, Moribata K, Shiraki T, Deguchi H,

**Ueda K**, Inoue I, Maekita T, Iguchi M, Yanaoka K, Oka M, Ichinose M. Assessment of hepatocellular carcinomas using conventional magnetic resonance imaging correlated with histological differentiation and a serum marker of poor prognosis. *Hepatol Int.* 2011 Jun;5(2):730-7.

28: Moribata K, Tamai H, Shingaki N, Mori Y, Enomoto S, Shiraki T, Deguchi H, **Ueda K**, Inoue I, Maekita T, Iguchi M, Yanaoka K, Oka M, Ichinose M. Assessment of malignant potential of small hypervascular hepatocellular carcinoma using B-mode ultrasonography. *Hepatol Res.* 2011 Mar;41(3):233-9.

29: Inoue I, Mukoubayashi C, Yoshimura N, Niwa T, Deguchi H, Watanabe M, Enomoto S, Maekita T, **Ueda K**, Iguchi M, Yanaoka K, Tamai H, Arii K, Oka M, Fujishiro M, Takeshita T, Iwane M, Mohara O, Ichinose M. Elevated risk of colorectal adenoma with Helicobacter pylori-related chronic gastritis: a population-based case-control study. *Int J Cancer.* 2011 Dec 1;129(11):2704-11.

30: Ueyama T, Yamamoto Y, **Ueda K**, Kawabe T, Hano T, Ito T, Tsuruo Y, Ichinose M, Yoshida K. Cardiac and vascular gene profiles in an animal model of takotsubo cardiomyopathy. *Heart Vessels.* 2011 May;26(3):321-37.

31: **Ueda K**, Tamai H, Matumoto M, Meda H, Nakazawa K, Moribata K, Shingaki N, Deguchi H, Inoue I, Maekita T, Iguchi M, Yanaoka K, Oka M, Ichinose M. Diagnosis of pancreatic tuberculosis by combined, contrast-enhanced sonography and endoscopic ultrasound-guided fine-needle aspiration. *Clin J Gastroenterol.* 2010 June;3:159-164

32: Yanaoka K, Oka M, Yoshimura N, Deguchi H, Mukoubayashi C, Enomoto S, Maekita T, Inoue I, **Ueda K**, Utsunomiya H, Iguchi M, Tamai H, Fujishiro M, Nakamura Y, Tsukamoto T, Inada K, Takeshita T, Ichinose M. Preventive effects of etodolac, a selective cyclooxygenase-2 inhibitor, on cancer development in extensive metaplastic gastritis, a Helicobacter pylori-negative precancerous lesion. *Int J Cancer.* 2010 Mar 15;126(6):1467-73.

33: Yanaoka K, Oka M, Ohata H, Yoshimura N, Deguchi H, Mukoubayashi C, Enomoto S, Inoue I, Iguchi M, Maekita T, **Ueda K**, Utsunomiya H, Tamai H, Fujishiro M, Iwane M, Takeshita T, Mohara O, Ichinose M. Eradication of Helicobacter pylori prevents cancer development in subjects with mild gastric atrophy identified by serum

pepsinogen levels. *Int J Cancer.* 2009 Dec 1;125(11):2697-703.

34: Mori Y, Tamai H, Shingaki N, Moribata K, Shiraki T, Deguchi H, Ueda K, Enomoto S, Magari H, Inoue I, Maekita T, Iguchi M, Yanaoka K, Oka M, Ichinose M. Diffuse intrahepatic recurrence after percutaneous radiofrequency ablation for solitary and small hepatocellular carcinoma. *Hepatol Int.* 2009 Sep;3(3):509-15.

35: Ueda K, Ueyama T, Oka M, Ito T, Tsuruo Y, Ichinose M. Polaprezinc (Zinc L-carnosine) is a potent inducer of anti-oxidative stress enzyme, heme oxygenase (HO)-1 - a new mechanism of gastric mucosal protection. *J Pharmacol Sci.* 2009 Jul;110(3):285-94.

36: Ueyama T, Kawabe T, Hano T, Tsuruo Y, Ueda K, Ichinose M, Kimura H, Yoshida K. Upregulation of heme oxygenase-1 in an animal model of Takotsubo cardiomyopathy. *Circ J.* 2009 Jun;73(6):1141-6.

37: Kanno T, Matsuki T, Oka M, Utsunomiya H, Inada K, Magari H, Inoue I, Maekita T, Ueda K, Enomoto S, Iguchi M, Yanaoka K, Tamai H, Akimoto S, Nomoto K, Tanaka R, Ichinose M. Gastric acid reduction leads to an alteration in lower intestinal microflora. *Biochem Biophys Res Commun.* 2009 Apr 17;381(4):666-70.

38: Ueda K, Ueyama T, Yoshida K, Kimura H, Ito T, Shimizu Y, Oka M, Tsuruo Y, Ichinose M. Adaptive HNE-Nrf2-HO-1 pathway against oxidative stress is associated with acute gastric mucosal lesions. *Am J Physiol Gastrointest Liver Physiol.* 2008 Sep;295(3):G460-9.

39: Ueyama T, Ishikura F, Matsuda A, Asanuma T, Ueda K, Ichinose M, Kasamatsu K, Hano T, Akasaka T, Tsuruo Y, Morimoto K, Beppu S. Chronic estrogen supplementation following ovariectomy improves the emotional stress-induced cardiovascular responses by indirect action on the nervous system and by direct action on the heart. *Circ J.* 2007 Apr;71(4):565-73.

40: Miyamoto M, Oka M, Izumiya T, Nagaoka T, Ishihara Y, Ueda K, Enomoto S, Yanaoka K, Arii K, Tamai H, Shimizu Y, Ichinose M. Nonparasitic solitary giant hepatic cyst causing obstructive jaundice was successfully treated with monoethanolamine oleate. *Intern Med.* 2006;45(9):621-5.

### 【和論文】

1 : 上田和樹, 玉井秀幸, 前田浩輝, 中沢和之, 有井研司, 柳岡公彦, 岡 政志, 一瀬雅夫 : ショートガイドワイヤーを用いた ENBD(Endoscopic Naso Biliary Drainage)チューブ作成と有用性の検討. *Gastroenterol Endosc* 50: 3019-3026, 2008

2 : 中沢和之, 岡 政志, 新垣直樹, 白木達也, 留置辰治, 上田和樹, 太田有紀, 前北隆雄, 玉井秀幸, 中田博也, 清水靖仁, 一瀬雅夫 : 横行結腸良性狭窄に対してバルーン拡張術が奏効した腸結核の 1 疑診例. *Gastroenterol Endosc* 49: 1698-1703, 2007

3 : 中沢和之, 前田義政, 上田和樹, 前北隆雄, 曲里浩人, 井上 泉, 向林知津, 榎本祥太郎, 有井研司, 中田博也, 清水靖仁, 一瀬雅夫 : Sengstaken-Blakemoretube が一時止血に有用であった動脈性出血をきたした食道癌の 1 例. *Gastroenterol Endosc* 47: 1085-1089, 2005

4 : 宮本昌彦, 上田和樹, 井口幹崇, 栗原尊政, 西岡新吾, 西岡 稔, 永山孝一, 井上正也, 山本誠己, 河野暢之, 一瀬雅夫 : 溫熱刺激が誘因となった食道全域にわたる剥離性食道炎の 1 例. *Gastroenterol Endosc* 43: 1157-1162, 2001

### 【書籍・雑誌】

山下泰伸, 上田和樹, 川路祐輝, 阿部弘子, 田村崇, 糸永昌弘, 前田浩輝, 前北隆雄, 井口幹崇, 玉井秀幸, 加藤順, 一瀬雅夫 : ドレナージ大全 閉塞性黄疸の病態—胆道ドレナージの必要性. 胆と脾 臨時増刊特大号 34: 773-777, 2013

上田和樹 胆胰内視鏡治療 手技の極意とトラブルシューティング 第 3 章 トラブルシューティング 7)バスケット嵌頓 羊土社 p205-209, 2012

上田和樹, 糸永昌弘, 山下泰伸, 前田浩輝, 一瀬雅夫 : 患者に優しい内視鏡—経鼻内視鏡とカプセル内視鏡 5 経鼻内視鏡による胆道内視鏡への応用 臨牀消化器内科 Vol.27 No.6(5), 2012

上田和樹 内視鏡的胆道ドレナージ術. IV章 治療手技 臨床消化器内科マニュアル 南江堂 p207-209, 2011

上田和樹、一瀬雅夫：内科治療のピットホール：IV. 消化管、胃潰瘍. 臨床雑誌「内科」南江堂 106(6): 1066-1069, 2010

上田和樹、榎本祥太郎、前北隆雄、一瀬雅夫：高齢者胃潰瘍 高齢者胃潰瘍の重賞合併症とその対策- 出血性胃潰瘍. 日本臨床 68(11): 2106-2110, 2010

上田和樹、前田浩輝、深津和之、玉井秀幸、一瀬雅夫：Stenting Bible: 各種 Plastic Stent の特徴と選択のコツ(胆管&膵管 Stent). 胆と膵 臨時増刊特大号 31: 991-916, 2010

上田和樹 すぐに対応する消化器内視鏡治療の患者説明用ハンドブック 6.胆道疾患の内視鏡治療 文光堂 p72-78, 2009

上田和樹、前田浩輝、玉井秀幸、一瀬雅夫 診断に苦慮した膵腫瘤病変. 消化器の臨床 Vol. 12 No.4 p369-371, 2009

上田和樹、井口幹崇 第7章 治療内視鏡 その他 消化器内科ゴールデンハンドブック 南江堂 p208-209, 2007

前田浩輝、上田和樹、一瀬雅夫：問題 Challenge QUIZ 貴方も名医 「自己免疫性膵炎」. CLINIC magazine 11: 36-37, 72-73, 2007